

BX-PRL-BLUEWIDOW

 Sample ID: SA-241220-54013
 Batch: 24355BW8PXB
 Type: Finished Product - Inhalable
 Matrix: Plant - Flower
 Unit Mass (g):

 Received: 12/23/2024
 Completed: 01/09/2025

Client
 Dazed
 242 W Main St #364
 Hendersonville, TN 37075
 USA

Summary

Test	Date Tested	Status
Cannabinoids	01/09/2025	Tested
Moisture	01/06/2025	Tested

0.0419 %	17.2 %	36.8 %	6.90 %	Not Tested	Yes
Δ9-THC	(6aR,9R,10aR)-HHC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS


Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	0.195	1.95
CBCA	0.00181	0.0054	0.156	1.56
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	ND	ND
CBDA	0.00043	0.0013	ND	ND
CBDP	0.00067	0.002	0.0257	0.257
CBDV	0.00061	0.0018	ND	ND
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	1.89	18.9
CBGA	0.00049	0.0015	4.87	48.7
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	1.00	10.0
CBNA	0.0006	0.0018	ND	ND
CBNP	0.00067	0.002	0.0729	0.729
CBT	0.0018	0.0054	0.0335	0.335
Δ8-THC	0.00104	0.0031	ND	ND
Δ8-THCP	0.00067	0.002	0.360	3.60
Δ9-THC	0.00076	0.0023	0.0419	0.419
Δ9-THCA	0.00084	0.0025	ND	ND
Δ9-THCP	0.00067	0.002	6.49	64.9
Δ9-THCV	0.00069	0.0021	ND	ND
Δ9-THCVA	0.00062	0.0019	ND	ND
(6aR,9R,10aR)-HHC	0.00067	0.002	17.2	172
(6aR,9S,10aR)-HHC	0.00067	0.002	4.48	44.8
Total Δ9-THC			0.04199	0.419
Total			36.8	368

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Ryan Bellone
 CCO

Date: 01/15/2025



 Tested By: Scott Caudill
 Laboratory Manager

Date: 01/09/2025


 ISO/IEC 17025:2017 Accredited
 Accreditation #108651


This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.