

DZ-PRL-PINKROSAY

 Sample ID: SA-250122-55854
 Batch: 25022PRP2CP
 Type: Finished Product - Inhalable
 Matrix: Plant - Preroll
 Unit Mass (g):

 Received: 01/27/2025
 Completed: 02/17/2025

Client
 Dazed
 242 W Main St #364
 Hendersonville, TN 37075
 USA


Summary

Test	Date Tested	Status
Cannabinoids	02/17/2025	Tested
Moisture	02/10/2025	Tested

0.161 %	10.6 %	29.7 %	4.82 %	Not Tested	Yes
Total Δ9-THC	Δ9-THCP	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	0.491	4.91
CBCA	0.00181	0.0054	0.776	7.76
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	6.41	64.1
CBDA	0.00043	0.0013	ND	ND
CBDP	0.00067	0.002	0.0579	0.579
CBDV	0.00061	0.0018	0.0385	0.385
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	3.51	35.1
CBGA	0.00049	0.0015	6.88	68.8
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	0.0264	0.264
CBNA	0.0006	0.0018	ND	ND
CBNP	0.00067	0.002	0.173	1.73
CBT	0.0018	0.0054	ND	ND
Δ4,8-iso-THC	0.00067	0.002	ND	ND
Δ8-iso-THC	0.00067	0.002	ND	ND
Δ8-THC	0.00104	0.0031	ND	ND
Δ8-THCP	0.00067	0.002	0.402	4.02
Δ8-THCV	0.00067	0.002	ND	ND
Δ9-THC	0.00076	0.0023	0.161	1.61
Δ9-THCA	0.00084	0.0025	ND	ND
Δ9-THCP	0.00067	0.002	10.6	106
Δ9-THCV	0.00069	0.0021	0.0254	0.254
Δ9-THCVA	0.00062	0.0019	ND	ND
exo-THC	0.00067	0.002	0.148	1.48
Total Δ9-THC			0.16075	1.61
Total			29.7	297

ND = Not Detected; NLT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA


 ISO/IEC 17025:2017 Accredited
 Accreditation #108651

DA * 0


 Generated By: Ryan Bellone
 CCO
 Date: 02/17/2025

 Tested By: Scott Caudill
 Laboratory Manager
 Date: 02/17/2025

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.